ELSEVIER

Nuclear Instruments and Methods in Physics Research A 392 (1997) 479–489

NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH Section A

Author index

Abbrescia, M., A. Colaleo, G. Iaselli, M. Maggi, B. Marangelli, S. Natali, S. Nuzzo, A. Ranieri, F. Romano, G. Gianini, S.P. Ratti and P. Vitulo, Performance of a Resistive Plate Chamber operated in avalanche mode under ^{137}Cs irradiation . . . 392 (1997) 155
Alfaro-Molina, R., E. Belmont-Moreno, A. Martínez-Dávalos, A. Menchaca-Rocha, K. Michaelian, K. Hagel, J. Li, N. Mdeiwayeh, J.B. Natowitz, R. Wada, Y. Zhao and Z. Majka, An inexpensive PSD for heavy-ion elastic scattering measurements . . . 392 (1997) 447
Allen, D.A., see Parker, D.J. . . . 392 (1997) 421
Allers, L., see Mahon, A.R. . . . 392 (1997) 274
Allers, L.A., see MacDonald, J.H. . . . 392 (1997) 227
Amenitsch, H., see Mio, H. . . . 392 (1997) 384
Andrews, H.N., see Faruqi, A.R. . . . 392 (1997) 233
Aoki, S., see Ochi, A. . . . 392 (1997) 124
Arfelli, F., G. Barbiellini, V. Bonvicini, A. Bravin, G. Cantatore, E. Castelli, P. Cristaudo, M. Di Michiel, R. Longo, A. Olivo, S. Pani, D. Pontoni, P. Poropat, M. Prest, A. Rashevsky, F. Tomasini, G. Tromba and A. Vacchi, SYRMEP: an innovative detection system for soft X-rays . . . 392 (1997) 188
Arfelli, F., G. Barbiellini, V. Bonvicini, A. Bravin, G. Cantatore, E. Castelli, P. Cristaudo, M. Di Michiel, R. Longo, A. Olivo, S. Pani, D. Pontoni, P. Poropat, M. Prest, A. Rashevsky, F. Tomasini, G. Tromba, A. Vacchi and E. Vallazza, A digital readout system for the SYRMEP silicon strip detectors . . . 392 (1997) 392
Assaf, J.E., see Vellettaz, N. . . . 392 (1997) 73
Aubineau-Laniece, I., Y. Charon, G. Dorner, D. Franck, M.H. Henge-Napoli, P. Laniece, R. Mastrippolito, L. Pinot and L. Valentin, Self-triggered intensified CCD for high resolution α autoradiography (αSTIC): A quantitative and identificative approach . . . 392 (1997) 237
Aulchenko, V.M., see Baru, S.E. . . . 392 (1997) 12
Avdeev, M.V., A.I. Beskrovny, A.A. Bogdzel, F.V. Levchanovsky and V.I. Prikhodko, Multi-ring position-sensitive detector for registering small-angle neutron scattering . . . 392 (1997) 18

Babichev, E.A., see Baru, S.E. . . . 392 (1997) 12
Bacchetta, N., see Da Rold, M. . . . 392 (1997) 202
Ballesio, P.L., see Pani, R. . . . 392 (1997) 295
Barbiellini, G., see Arfelli, F. . . . 392 (1997) 188
Barbiellini, G., see Arfelli, F. . . . 392 (1997) 392
Barr, A., R. Bouclier, M. Capeáns, G. Della Mea, M. Hoch, G. Million G. Manzin, L. Ropelewski and F. Sauli, Recent advances in the construction and testing of MSGCs . . . 392 (1997) 99
Barratt, I., B. Byrne, J. Mennell and Y. Yan, The application of position-sensitive detectors in multi-phase flow measurement . . . 392 (1997) 450
Baru, S.E., V.M. Aulchenko, E.A. Babichev, M.S. Dubrovin, V.R. Groshev, A.G. Khabakhpashev, E.L. Nekhanevich, V.V. Porosev, G.A. Savinov, L.I. Shekhtman, L. Smykov, A.A. Talyshev, V.M. Titov, Yu.G. Ukraintsev, Yu.S. Velikzhanin and Yu.V. Zanevsky, X-ray detectors based on multiwire proportional chambers . . . 392 (1997) 12
Bateman, J.E., see Visvikis, D. . . . 392 (1997) 414
Bates, R.L., M. Campbell, S. D'Auria, C. Da Vià, V. O'Shea, C. Raine and K.M. Smith, Recent results on GaAs detectors . . . 392 (1997) 269
Bazzano, A., see Ortuño-Prados, F. . . . 392 (1997) 47
Bednarek, B., K. Jeleń, S. Koperny, T.Z. Kowalski, E. Rulikowska-Zarębska and J. Zając, Anode wire ageing in proportional detectors at the BAC calorimeter of the ZEUS experiment . . . 392 (1997) 51
Belmont-Moreno, E., see Alfaro-Molina, R. . . . 392 (1997) 447
Benetti, P., see Da Rold, M. . . . 392 (1997) 202
Bennett, P.R., K.S. Shah, M. Klugerman and M.R. Squillante, High efficiency pixellated CdTe detector . . . 392 (1997) 260
Benton, D.M., see Parker, D.J. . . . 392 (1997) 421
Bergman, A.M., see Robar, J.L. . . . 392 (1997) 402
Bernstorff, S., see Mio, H. . . . 392 (1997) 384

0168-9002/97/$17.00 Copyright © 1997 Elsevier Science B.V. All rights reserved

Besch, H.J., M. Junk, W. Meißner, A. Sarvestani, R. Stiehler and A.H. Walenta, An interpolating 2D pixel readout structure for synchrotron X-ray diffraction in protein crystallography 392 (1997) 244
Beskrovny, A.I., see Avdeev, M.V. 392 (1997) 18
Beynon, T.D., see Parker, D.J. 392 (1997) 421
Biagi, S.F., J. Bordas, D. Duxbury and E. Gabathuler, Further experimental results of gas microdot detectors . . 392 (1997) 131
Bilei, G.M., see Della Marina, R. 392 (1997) 178
Bisello, D., see Da Rold, M. 392 (1997) 202
Bogdzel, A.A., see Avdeev, M.V. 392 (1997) 18
Bogg, D., A.J. Dent, G.E. Derbyshire, R.C. Farrow, C.A. Ramsdale and G. Salvini, Characterisation of Reticon and Hamamatsu Photodiode array and the subsequent development of high performance VME-based detector systems optimised for Energy Dispersive EXAFS 392 (1997) 461
Boissevain, J., see Kapustinsky, J. 392 (1997) 192
Boldeman, J.W., see Knott, R.B. 392 (1997) 62
Bom, V.R., see van der Marel, J. 392 (1997) 310
Bonvicini, V., see Arfelli, F. 392 (1997) 188
Bonvicini, V., see Arfelli, F. 392 (1997) 392
Boram, A.J., see Rhodes, N.J. 392 (1997) 315
Bordas, J., see Biagi, S.F. 392 (1997) 131
Bosze, E., see Kapustinsky, J. 392 (1997) 192
Bouclier, R., see Barr, A. 392 (1997) 99
Bradley, E., see Weisenberger, A.G. 392 (1997) 299
Bras, W., see Zhukov, V. 392 (1997) 83
Bravin, A., see Arfelli, F. 392 (1997) 188
Bravin, A., see Arfelli, F. 392 (1997) 392
Breskin, A., see Pansky, A. 392 (1997) 465
Britton, C., see Kapustinsky, J. 392 (1997) 192
Bruyndonckx, P., X. Liu, S. Tavernier and S. Zhang, Performance study of a 3D small animal PET scanner based on BaF_2 crystals and a photo sensitive wire chamber 392 (1997) 407
Buttar, C.M., J. Conway, R. Meyfarth, G. Scarsbrook, P.J. Sellin and A. Whitehead, CVD diamond detectors as dosimeters for radiotherapy 392 (1997) 281
Byrne, B., see Barratt, I. 392 (1997) 450

Campbell, M., see Bates, R.L. 392 (1997) 269
Cantatore, G., see Arfelli, F. 392 (1997) 188
Cantatore, G., see Arfelli, F. 392 (1997) 392
Capeáns, M., see Barr, A. 392 (1997) 99
Carter, M.K. and P.D. Read, The implementation and performance of a connected regions centroiding algorithm for imaging photon counting 392 (1997) 380
Carter, M.K., see Read, P.D. 392 (1997) 359
Castagna, J.-C., see Cipriani, F. 392 (1997) 471
Castelli, E., see Arfelli, F. 392 (1997) 188
Castelli, E., see Arfelli, F. 392 (1997) 392
Celano, L., G. Tagliente, G. D'Erasmo, A. Pantaleo, N. Colonna, E.M. Fiore and R. Rui, Performance of a long plastic scintillator detector for neutron studies 392 (1997) 304
Cerron Zeballos, E., I. Crotty, D. Hatzifotiadou, J. Lamas Valverde, M.C.S. Williams and A. Zichichi, Latest results from the multigap resistive plate chamber 392 (1997) 145
Ceron Zeballos, E., I. Crotty, D. Hatzifotiadou, J. Lamas Valverde, M.C.S. Williams, A. Zichichi, P. Fonte and V. Peskov, Resistive plate chambers with secondary electron emitters and microstrip readout 392 (1997) 150
Cesura, G., see Klein, P. 392 (1997) 254
Chang, J., see Kapustinsky, J. 392 (1997) 192
Charon, Y., see Aubineau-Laniece, I. 392 (1997) 237
Chechik, R., see Pansky, A. 392 (1997) 465
Chemloul, M., see Mio, H. 392 (1997) 384
Chepel, V., M.I. Lopes, A. Kuchenkov, R. Ferreira Marques and A.J.P.L. Policarpo, Performance study of liquid xenon detector for PET 392 (1997) 427
Ciampolini, P., see Della Marina, R. 392 (1997) 178
Cicognani, G., B. Guerard and A. Oed, Performance of MSGC on diamond-coated glass 392 (1997) 115
Cipriani, F., J.-C. Castagna, L. Claustre, C. Wilkinson and M.S. Lehmann, Large area neutron and X-ray image-plate detectors for macromolecular biology 392 (1997) 471
Clague, N.J., see Manning, P.P. 392 (1997) 345
Clancy, R., see Robar, J.L. 392 (1997) 402

Clark, D., see Kapustinsky, J. . . . 392 (1997) 192
Claustre, L., see Cipriani, F. . . . 392 (1997) 471
Clergeau, J.-F., D. Contardo, R. Haroutunian, L. Mirabito and G. Smadja, Simulation of MSGC signals and application to the front-end electronics for LHC experiments . . . 392 (1997) 109
Clergeau, J.-F., D. Contardo, R. Haroutunian, L. Mirabito and G. Smadja, Performance of three variants of micro-gap chambers . . . 392 (1997) 140
Clifford, P., see Lewis, R.A. . . . 392 (1997) 32
Clifford, P., see Lewis, R.A. . . . 392 (1997) 42
Colaleo, A., see Abbrescia, M. . . . 392 (1997) 155
Colhoun, M., see Read, P.D. . . . 392 (1997) 359
Colonna, N., see Celano, L. . . . 392 (1997) 304
Connolly, J., see Visvikis, D. . . . 392 (1997) 414
Contardo, D., see Clergeau, J.-F. . . . 392 (1997) 109
Contardo, D., see Clergeau, J.-F. . . . 392 (1997) 140
Conway, J., see Buttar, C.M. . . . 392 (1997) 281
Corona, A., see Pani, R. . . . 392 (1997) 295
Corsi, F., D. De Venuto and G. Gramegna, Electrical and functional characterization of a novel self-biased linear silicon drift detector . . . 392 (1997) 183
Cristaudo, P., see Arfelli, F. . . . 392 (1997) 188
Cristaudo, P., see Arfelli, F. . . . 392 (1997) 392
Crotty, I., see Cerron Zeballos, E. . . . 392 (1997) 145
Crotty, I., see Ceron Zeballos, E. . . . 392 (1997) 150
Czermak, A., see Overdick, M. . . . 392 (1997) 173

Darambara, D.G. and N.M. Spyrou, Position sensitive regions in a generic radiation sensor based on single event upsets in dynamic RAMs . . . 392 (1997) 456
Da Rold, M., A. Paccagnella, P. Fardin, N. Bacchetta, R. Wheadon, P. Benetti and D. Bisello, Noise characteristics in irradiated multiguard structures . . . 392 (1997) 202
Daum, C., see van den Berg, F.D. . . . 392 (1997) 94
D'Auria, S., see Bates, R.L. . . . 392 (1997) 269
Da Vià, C., see Bates, R.L. . . . 392 (1997) 269
Del Guerra, A., see Taibi, A. . . . 392 (1997) 210
Del Guerra, A., see Pani, R. . . . 392 (1997) 319
Della Marina, R., D. Passeri, P. Ciampolini and G.M. Bilei, Silicon strip detectors for LHC: Comprehensive process and device analysis . . . 392 (1997) 178
Della Mea, G., see Barr, A. . . . 392 (1997) 99
Dent, A.J., see Bogg, D. . . . 392 (1997) 461
D'Erasmo, G., see Celano, L. . . . 392 (1997) 304
Derbyshire, G.E., see Bogg, D. . . . 392 (1997) 461
De Venuto, D. see Corsi, F. . . . 392 (1997) 183
De Vincentis, G., see Pani, R. . . . 392 (1997) 295
De Vincentis, G., see Pani, R. . . . 392 (1997) 319
Di Domenico, G., see Pani, R. . . . 392 (1997) 319
Di Michiel, M., see Arfelli, F. . . . 392 (1997) 188
Di Michiel, M., see Arfelli, F. . . . 392 (1997) 392
Dinsdale, D., see Lees, J.E. . . . 392 (1997) 349
Dorner, G., see Aubineau-Laniece, I. . . . 392 (1997) 237
Dubrovin, M.S., see Baru, S.E. . . . 392 (1997) 12
Duerdoth, I.P., J. Freestone, N. Lumb, S. Snow and R.J. Thompson, Lifetime characteristics of Micro-Strip Gas Chambers . . . 392 (1997) 127
Duxbury, D., see Biagi, S.F. . . . 392 (1997) 131
Duxbury, D., see Hall, C.J. . . . 392 (1997) 330

Emery, M., see Kapustinsky, J. . . . 392 (1997) 192
Ericson, N., see Kapustinsky, J. . . . 392 (1997) 192
Evensen, L. and T. Westgaard, Single-sided microstrip detector for high radiation doses . . . 392 (1997) 206

Fardin,P., see Da Rold, M. . . . 392 (1997) 202
Farrow, R.C., see Bogg, D. . . . 392 (1997) 461
Faruqi, A.R. and H.N. Andrews, Cooled CCD camera with tapered fibre optics for electron microscopy . . . 392 (1997) 233
Ferreira Marques, R., see Chepel, V. . . . 392 (1997) 427

Filippi, S., see Pani, R. . . . 392 (1997) 295
Filippi, S., see Pani, R. . . . 392 (1997) 319
Fiore, E.M., see Celano, L. . . . 392 (1997) 304
Fischer, P., see Overdick, M. . . . 392 (1997) 173
Fischer, P., see Klein, P. . . . 392 (1997) 254
Flower, M.A., see Visvikis, D. . . . 392 (1997) 414
Fonte, P., see Peskov, V. . . . 392 (1997) 89
Fonte, P., see Ceron Zeballos, E. . . . 392 (1997) 150
Fore, N., see Lewis, R.A. . . . 392 (1997) 42
Fore, N.S., see Lewis, R.A. . . . 392 (1997) 32
Fourme, R., Position-sensitive gas detectors: MWPCs and their gifted descendants . . . 392 (1997) 1
Fowles, P., see Parker, D.J. . . . 392 (1997) 421
Fraga, F.A.F., M.M.F.R. Fraga, R.F. Marques, L.M.S. Margato, J.R. Gonçalo, A.J.P.L. Policarpo, C.W.E. van Eijk, R.W. Hollander and J. van der Marel, Performance of microstrip and microgap gas detectors at high pressure . . . 392 (1997) 135
Fraga, M.M.F.R., see Fraga, F.A.F. . . . 392 (1997) 135
Franck, D., see Aubineau-Laniece, I. . . . 392 (1997) 237
Fraser, G., see Hall, C.J. . . . 392 (1997) 330
Fraser, G.W., see Lees, J.E. . . . 392 (1997) 349
Fraser, G.W., see Tremsin, A.S. . . . 392 (1997) 354
Freestone, J., see Duerdoth, I.P. . . . 392 (1997) 127
Fung, S.Y., see Kapustinsky, J. . . . 392 (1997) 192

Gabathuler, E., see Biagi, S.F. . . . 392 (1997) 131
Gambaccini, M., see Taibi, A. . . . 392 (1997) 210
Garcia-Sciveres, M., Readout electronics architecture and packaging for the CDF silicon upgrade . . . 392 (1997) 375
Garty, G., see Pansky, A. . . . 392 (1997) 465
Gebauer, B., Ch. Schulz and Th. Wilpert, Novel large-area thermal neutron imaging detectors comprising ^{157}Gd/CsI-convertors and micro-strip gas detectors with low-pressure, two-stage amplification and delay line readout . . . 392 (1997) 68
Gelbart, A., see Hoffberg, M. . . . 392 (1997) 214
Gianini, G., see Abbrescia, M. . . . 392 (1997) 155
Gonçalo, J.R., see Fraga, F.A.F. . . . 392 (1997) 135
Gramegna, G., see Corsi, F. . . . 392 (1997) 183
Grammatico, A., see Pani, R. . . . 392 (1997) 295
Groshev, V.R., see Baru, S.E. . . . 392 (1997) 12
Guerard, B., see Cicognani, G. . . . 392 (1997) 115

Hagel, K., see Alfaro-Molina, R. . . . 392 (1997) 447
Hall, C., see Ortuño-Prados, F. . . . 392 (1997) 47
Hall, C.J., R.A. Lewis, G. Fraser, D. Duxbury, J. Pearson, W. Helsby, A. Jones, J.W. Sheldon and B. Parker, An investigation into the use of a microchannel plate as the photocathode for an SEE X-ray detector . . . 392 (1997) 330
Hall, C.J., see Lewis, R.A. . . . 392 (1997) 32
Hall, C.J., see Lewis, R.A. . . . 392 (1997) 42
Haroutunian, R., see Clergeau, J.-F. . . . 392 (1997) 109
Haroutunian, R., see Clergeau, J.-F. . . . 392 (1997) 140
Harrison, R.A., see Read, P.D. . . . 392 (1997) 359
Hartjes, F.G., see Zhukov, V. . . . 392 (1997) 83
Hartjes, F.G., see van den Berg, F.D. . . . 392 (1997) 94
Hassard, J.F., see MacDonald, J.H. . . . 392 (1997) 227
Hassard, J.F., see Mahon, A.R. . . . 392 (1997) 274
Hatzifotiadou, D., see Cerron Zeballos, E. . . . 392 (1997) 145
Hatzifotiadou, D., see Ceron Zeballos, E. . . . 392 (1997) 150
Helsby, W., see Lewis, R.A. . . . 392 (1997) 42
Helsby, W., see Ortuño-Prados, F. . . . 392 (1997) 47
Helsby, W., see Hall, C.J. . . . 392 (1997) 330
Helsby, W.I., see Lewis, R.A. . . . 392 (1997) 32
Henge-Napoli, M.H., see Aubineau-Laniece, I. . . . 392 (1997) 237
Herzog, V., see Overdick, M. . . . 392 (1997) 173
Hicks, P.J., see Manning, P.P. . . . 392 (1997) 345
Hillen, M., see Lewis, R.A. . . . 392 (1997) 32

Hillon, M., see Lewis, R.A. 392 (1997) 42
Hoch, M., see Barr, A. 392 (1997) 99
Hoffberg, M., R. Laird, F. Lenkzsus, C. Liu, B. Rodricks and A. Gelbart, The development of high-speed 100 fps CCD camera 392 (1997) 214
Hoffman, E.J., M.P. Tornai, C.S. Levin, L.R. MacDonald and S. Siegel, Gamma and beta intra-operative imaging probes 392 (1997) 324
Hollander, R.W., see Fraga, F.A.F. 392 (1997) 135
Hollander, R.W., see Valk, H. 392 (1997) 169
Hollander, R.W., see van der Marel, J. 392 (1997) 310
Huizenga, J., see Valk, H. 392 (1997) 169

Iacopi, F., see Pani, R. 392 (1997) 295
Iaselli, G., see Abbrescia, M. 392 (1997) 155
Iida, T., see Yamamoto, S. 392 (1997) 291
Iliev, S., see Tsyganov, Yu.S. 392 (1997) 197

Jacak, B., see Kapustinsky, J. 392 (1997) 192
Jaffe, D., see Kapustinsky, J. 392 (1997) 192
Jeleń, K., S. Koperny, T.Z. Kowalski, E. Rulikowska-Zarębska and J. Zając, Gas gain in MSGCs with $Ar/CO_2/CF_4$ mixtures 392 (1997) 80
Jeleń, K., see Bednarek, B. 392 (1997) 51
Johnson, M.W., see Rhodes, N.J. 392 (1997) 315
Jones, A., see Lewis, R.A. 392 (1997) 42
Jones, A., see Ortuño-Prados, F. 392 (1997) 47
Jones, A., see Hall, C.J. 392 (1997) 330
Jones, A.O., see Lewis, R.A. 392 (1997) 32
Jones, R.W.M., see Lewis, R.A. 392 (1997) 32
Junk, M., see Besch, H.J. 392 (1997) 244

Kanno, I., see Yamamoto, S. 392 (1997) 291
Kapustinsky, J., J. Boissevain, E. Bosze, C. Britton, J. Chang, D. Clark, M. Emery, N. Ericson, S.Y. Fung, B. Jacak, D. Jaffe, L. Marek, R. Seto, J. Simon-Gillo, M. Simpson, R. Smith, J. Sullivan, Y. Takahashi, H. van Hecke and J. Walker and N. Xu, A multiplicity-vertex detector for the PHENIX experiment at RHIC 392 (1997) 192
Kent, B.J., see Read, P.D. 392 (1997) 359
Khabakhpashev, A.G., see Baru, S.E. 392 (1997) 12
Kirkman, I,W., see Manning, P.P. 392 (1997) 345
Kjensmo, A., see Overdick, M. 392 (1997) 173
Klein, E., see Pansky, A. 392 (1997) 465
Klein, P., G. Cesura, P. Fischer, G. Lutz, W. Neeser, R.H. Richter and N. Wermes, Study of a DEPJFET pixel matrix with continuous clear mechanism 392 (1997) 254
Klugerman, M., see Bennett, P.R. 392 (1997) 260
Knott, R.B., G.C. Smith, G. Watt and J.W. Boldeman, A large 2D PSD for thermal neutron detection 392 (1997) 62
Kocsis, M., A high-resolution multiwire proportional counter for speckle spectroscopy with coherent X-rays 392 (1997) 28
Koperny, S., see Bednarek, B. 392 (1997) 51
Koperny, S., see Jeleń, K. 392 (1997) 80
Korobov, V., see Tremsin, A.S. 392 (1997) 354
Kowalski, T.Z., see Bednarek, B. 392 (1997) 51
Kowalski, T.Z., see Jeleń, K. 392 (1997) 80
Kuchenkov, A., see Chepel, V. 392 (1997) 427
Kugelmeier, T., see Overdick, M. 392 (1997) 173
Kuwahara, K., see Suzuki, M. 392 (1997) 55

Labiche, J.-C., see Rossi, G. 392 (1997) 264
Laggner, P., see Mio, H. 392 (1997) 384
Laird, R., see Hoffberg, M. 392 (1997) 214
Lamas Valverde, J., see Cerron Zeballos, E. 392 (1997) 145
Lamas Valverde, J., see Ceron Zeballos, E. 392 (1997) 150
Lange, A., M. Rost, A. Sack and A.H. Walenta, Front end electronics for high rate microstrip gaseous chamber readout 392 (1997) 369
Laniece, P., see Aubineau-Laniece, I. 392 (1997) 237
Lapington, J.S., The effects of secondary electron emission on the operation of position sensitive anodes 392 (1997) 336

Lapington, J.S., Results from a 40 mm intensifier using a multilayer ceramic imaging element 392 (1997) 341
Lapington, J.S., see Worth, L.B.C. 392 (1997) 364
Lees, J.E., G.W. Fraser and D. Dinsdale, Direct beta autoradiography using microchannel plate (MCP) detectors 392 (1997) 349
Lees, J.E., see Tremsin, A.S. 392 (1997) 354
Lehmann, M.S., see Cipriani, F. 392 (1997) 471
Lenkzsus, F., see Hoffberg, M. 392 (1997) 214
Levchanovsky, F.V., see Avdeev, M.V. 392 (1997) 18
Levin, C.S., see Hoffman, E.J. 392 (1997) 324
Lewis, R., see Ortuño-Prados, F. 392 (1997) 47
Lewis, R.A., C.J. Hall, B. Parker, A. Jones, W. Helsby, J.W. Sheldon, P. Clifford, M. Hillon and N. Fore, The Daresbury fast multi-wire linear X-ray detector system 392 (1997) 42
Lewis, R.A., W.I. Helsby, A.O. Jones, C.J. Hall, B. Parker, J. Sheldon, P. Clifford, M. Hillen, I. Sumner, N.S. Fore, R.W.M. Jones and K.M. Roberts, The "RAPID" high rate large area X-ray detector system 392 (1997) 32
Lewis, R.A., see Hall, C.J. 392 (1997) 330
Li, J., see Alfaro-Molina, R. 392 (1997) 447
Liu, C., see Hoffberg, M. 392 (1997) 214
Liu, X., see Bruyndonckx, P. 392 (1997) 407
Ljunggren, K., see Overdick, M. 392 (1997) 173
Lombardi, M. and F.S. Lombardi, The leak microstructure, preliminary results 392 (1997) 23
Lombardi, F.S., see Lombardi, M. 392 (1997) 23
Longo, R., see Arfelli, F. 392 (1997) 188
Longo, R., see Arfelli, F. 392 (1997) 392
Lopes, M.I., see Chepel, V. 392 (1997) 427
Lumb, N., see Duerdoth, I.P. 392 (1997) 127
Lutz, G., see Klein, P. 392 (1997) 254

MacDonald, J.H., A.R. Mahon, L.A. Allers, J.F. Hassard, A. Mainwood and R.J. Ott, A CCD system for UV imaging of biomolecules 392 (1997) 227
MacDonald, J.H., K. Wells, A.J. Reader and R.J. Ott, A CCD-based tissue imaging system 392 (1997) 220
MacDonald, L.R., see Hoffman, E.J. 392 (1997) 324
Maggi, M., see Abbrescia, M. 392 (1997) 155
Mahon, A.R., L. Allers, R.J. Ott, J.F. Hassard and A. Mainwood, Preliminary results from CVD diamond detectors for biomolecular imaging 392 (1997) 274
Mahon, A.R., see MacDonald, J.H. 392 (1997) 227
Mainwood, A., see MacDonald, J.H. 392 (1997) 227
Mainwood, A., see Mahon, A.R. 392 (1997) 274
Majewski, S., see Weisenberger, A.G. 392 (1997) 299
Majewski, S., see Wojcik, R. 392 (1997) 475
Majka, Z., see Alfaro-Molina, R. 392 (1997) 447
Manning, P.P., N.J. Clague, I.W. Kirkman, F.M. Quinn and P.J. Hicks, A fast and flexible multichannel electron detector with parallel readout for photoelectron spectroscopy 392 (1997) 345
Manzin, G., see Barr, A. 392 (1997) 99
Marangelli, B., see Abbrescia, M. 392 (1997) 155
Marchena, O., see Zhukov, V. 392 (1997) 83
Marek, L., see Kapustinsky, J. 392 (1997) 192
Margato, L.M.S., see Fraga, F.A.F. 392 (1997) 135
Marques, R.F., see Fraga, F.A.F. 392 (1997) 135
Martínez-Dávalos, A., see Alfaro-Molina, R. 392 (1997) 447
Marziani, M., see Taibi, A. 392 (1997) 210
Mastrippolito, R., see Aubineau-Laniece, I. 392 (1997) 237
Masuda, K., see Suzuki, M. 392 (1997) 55
McNeil, P.A., see Parker, D.J. 392 (1997) 421
Mdeiwayeh, N., see Alfaro-Molina, R. 392 (1997) 447
Meißner, W., see Besch, H.J. 392 (1997) 244
Menchaca-Rocha, A., see Alfaro-Molina, R. 392 (1997) 447
Mennell, J., see Barratt, I. 392 (1997) 450
Meyfarth, R., see Buttar, C.M. 392 (1997) 281
Mezentsev, A.N., see Tsyganov, Yu.S. 392 (1997) 197
Michaelian, K., see Alfaro-Molina, R. 392 (1997) 447
Miller, D.J., see Papanestis, A. 392 (1997) 120

Million G., see Barr, A. . . . 392 (1997) 99
Mio, H., M. Chemloul, P. Laggner, H. Amenitsch, S. Bernstorff and M. Rappolt, Fast PC-based data acquisition system for gas-filled position sensitive detectors . . . 392 (1997) 384
Mirabito, L., see Clergeau, J.-F. . . . 392 (1997) 109
Mirabito, L., see Clergeau, J.-F. . . . 392 (1997) 140
Morse, J., see Rossi, G. . . . 392 (1997) 264
Murthy, K., see Robar, J.L. . . . 392 (1997) 402

Nanver, L.K., see Valk, H. . . . 392 (1997) 169
Natali, S., see Abbrescia, M. . . . 392 (1997) 155
Natowitz, J.B., see Alfaro-Molina, R. . . . 392 (1997) 447
Neeser, W., see Klein, P. . . . 392 (1997) 254
Nekhanevich, E.L., see Baru, S.E. . . . 392 (1997) 12
Nishi, Y., see Ochi, A. . . . 392 (1997) 124
Nuzzo, S., see Abbrescia, M. . . . 392 (1997) 155
Nygård, E., see Overdick, M. . . . 392 (1997) 173

Ochi, A., S. Aoki, Y. Nishi and T. Tanimori, Development of imaging microstrip gas chambers and measurement of the polarization of X-rays . . . 392 (1997) 124
Oed, A., see Vellettaz, N. . . . 392 (1997) 73
Oed, A., see Cicognani, G. . . . 392 (1997) 115
Okada, H., see Suzuki, M. . . . 392 (1997) 55
Olivo, A., see Arfelli, F. . . . 392 (1997) 188
Olivo, A., see Arfelli, F. . . . 392 (1997) 392
Ortuño-Prados, F., C. Hall, W. Helsby, A. Jones, R. Lewis, B. Parker, J. Sheldon, A. Bazzano and P. Ubertini, A large area, 2-D, high-pressure MWPC for wide angle X-ray diffraction . . . 392 (1997) 47
O'Shea, V., see Bates, R.L. . . . 392 (1997) 269
Ott, R.J., Position sensitive detectors for medical imaging . . . 392 (1997) 396
Ott, R.J., see MacDonald, J.H. . . . 392 (1997) 220
Ott, R.J., see MacDonald, J.H. . . . 392 (1997) 227
Ott, R.J., see Mahon, A.R. . . . 392 (1997) 274
Ott, R.J., see Visvikis, D. . . . 392 (1997) 414
Overdick, M., A. Czermak, P. Fischer, V. Herzog, A. Kjensmo, T. Kugelmeier, K. Ljunggren, E. Nygård, C. Pietrzik, T. Schwan, S.-E. Strand, J. Straver, P. Weilhammer, N. Wermes and K. Yoshioka, A "Bioscope" system using double-sided silicon strip detectors and self-triggering read-out chips . . . 392 (1997) 173
Owens, A.R., see Rossi, G. . . . 392 (1997) 264

Paccagnella, A., see Da Rold, M. . . . 392 (1997) 202
Pani, R., A. Pergola, R. Pellegrini, A. Soluri, G. De Vincentis, S. Filippi, G. Di Domenico, A. Del Guerra and F. Scopinaro, New generation position-sensitive PMT for nuclear medicine imaging . . . 392 (1997) 319
Pani, R., R. Pellegrini, F. Scopinaro, A. Soluri, G. De Vincentis, A. Pergola, F. Iacopi, A. Corona, A. Grammatico, S. Filippi and P.L. Ballesio, Scintillating array gamma camera for clinical use . . . 392 (1997) 295
Pani, S., see Arfelli, F. . . . 392 (1997) 188
Pani, S., see Arfelli, F. . . . 392 (1997) 392
Pansky, A., A. Breskin, R. Chechik, G. Garty and E. Klein, Application of the electron-counting method to low-Z elemental analysis . . . 392 (1997) 465
Pantaleo, A., see Celano, L. . . . 392 (1997) 304
Papanestis, A., L.I. Shehktman and D.J. Miller, Simulation with ITS 3.0 of pulse heights and hit multiplicities in an MSGC . . . 392 (1997) 120
Parker, B., see Lewis, R.A. . . . 392 (1997) 32
Parker, B., see Lewis, R.A. . . . 392 (1997) 42
Parker, B., see Ortuño-Prados, F. . . . 392 (1997) 47
Parker, B., see Hall, C.J. . . . 392 (1997) 330
Parker, D.J., D.A. Allen, D.M. Benton, P. Fowles, P.A. McNeil, M. Tan and T.D. Beynon, Developments in particle tracking using the Birmingham Positron Camera . . . 392 (1997) 421
Passeri, D., see Della Marina, R. . . . 392 (1997) 178
Patchett, B.E., see Read, P.D. . . . 392 (1997) 359
Pearson, J., see Hall, C.J. . . . 392 (1997) 330
Pearson, J.F., see Tremsin, A.S. . . . 392 (1997) 354
Pellegrini, R., see Pani, R. . . . 392 (1997) 295
Pellegrini, R., see Pani, R. . . . 392 (1997) 319

Pergola, A., see Pani, R. . . . 392 (1997) 295
Pergola, A., see Pani, R. . . . 392 (1997) 319
Peskov, V., B.D. Ramsey and P. Fonte, Surface streamer breakdown mechanisms in microstrip gas counters . . . 392 (1997) 89
Peskov, V., see Ceron Zeballos, E. . . . 392 (1997) 150
Pietrzik, C., see Overdick, M. . . . 392 (1997) 173
Pike, C.D., see Read, P.D. . . . 392 (1997) 359
Pinot, L., see Aubineau-Laniece, I. . . . 392 (1997) 237
Policarpo, A.J.P.L., see Fraga, F.A.F. . . . 392 (1997) 135
Policarpo, A.J.P.L., see Chepel, V. . . . 392 (1997) 427
Polyakov, A.N., see Tsyganov, Yu.S. . . . 392 (1997) 197
Pontoni, D., see Arfelli, F. . . . 392 (1997) 188
Pontoni, D., see Arfelli, F. . . . 392 (1997) 392
Poropat, P., see Arfelli, F. . . . 392 (1997) 188
Poropat, P., see Arfelli, F. . . . 392 (1997) 392
Porosev, V.V., see Baru, S.E. . . . 392 (1997) 12
Prest, M., see Arfelli, F. . . . 392 (1997) 188
Prest, M., see Arfelli, F. . . . 392 (1997) 392
Prikhodko, V.I., see Avdeev, M.V. . . . 392 (1997) 18
Protic, D., see Rossi, G. . . . 392 (1997) 264

Quinn, F.M., see Manning, P.P. . . . 392 (1997) 345

Raine, C., see Bates, R.L. . . . 392 (1997) 269
Ramsdale, C.A., see Bogg, D. . . . 392 (1997) 461
Ramsey, B.D., see Peskov, V. . . . 392 (1997) 89
Ranieri, A., see Abbrescia, M. . . . 392 (1997) 155
Rappolt, M., see Mio, H. . . . 392 (1997) 384
Rashevsky, A., see Arfelli, F. . . . 392 (1997) 188
Rashevsky, A., see Arfelli, F. . . . 392 (1997) 392
Ratti, S.P., see Abbrescia, M. . . . 392 (1997) 155
Read, P.D., M.K. Carter, C.D. Pike, R.A. Harrison, B.J. Kent, B.M. Swinyard, B.E. Patchett, R.M. Redfern, A. Shearer and M. Colhoun, Uses of microchannel plate intensified detectors for imaging applications in the X-ray, EUV and visible wavelength regions . . . 392 (1997) 359
Read, P.D., see Carter, M.K. . . . 392 (1997) 380
Reader, A.J., see MacDonald, J.H. . . . 392 (1997) 220
Redfern, R.M., see Read, P.D. . . . 392 (1997) 359
Rhodes, N.J., A.G. Wardle, A.J. Boram and M.W. Johnson, Pixelated neutron scintillation detectors using fibre optic coded arrays . . . 392 (1997) 315
Richter, R.H., see Klein, P. . . . 392 (1997) 254
Robar, J.L., C.J. Thompson, K. Murthy, R. Clancy and A.M. Bergman, Construction and calibration of detectors for high-resolution metabolic breast cancer imaging . . . 392 (1997) 402
Roberts, K.M., see Lewis, R.A. . . . 392 (1997) 32
Rodricks, B., see Hoffberg, M. . . . 392 (1997) 214
Romano, F., see Abbrescia, M. . . . 392 (1997) 155
Ropelewski, L., see Barr, A. . . . 392 (1997) 99
Rossi, G., J. Morse, J.-C. Labiche, D. Protic and A.R. Owens, X-ray response of germanium microstrip detectors with energy and position resolution . . . 392 (1997) 264
Rost, M., see Lange, A. . . . 392 (1997) 369
Rui, R., see Celano, L. . . . 392 (1997) 304
Rulikowska-Zarębska, E., see Bednarek, B. . . . 392 (1997) 51
Rulikowska-Zarębska, E., see Jeleń, K. . . . 392 (1997) 80

Sack, A., see Lange, A. . . . 392 (1997) 369
Saha, M., see Weisenberger, A.G. . . . 392 (1997) 299
Salvini, G., see Bogg, D. . . . 392 (1997) 461
Sann, H., Position sensitive detectors in heavy ion physics (at GSI) . . . 392 (1997) 433
Sarro, P.M., see Valk, H. . . . 392 (1997) 169
Sarro, P.M., see van der Marel, J. . . . 392 (1997) 310
Sarvestani, A., see Besch, H.J. . . . 392 (1997) 244
Sauli, F., see Barr, A. . . . 392 (1997) 99
Savinov, G.A., see Baru, S.E. . . . 392 (1997) 12

Scarsbrook, G., see Buttar, C.M. 392 (1997) 281
Schulz, Ch., see Gebauer, B. 392 (1997) 68
Schwan, T., see Overdick, M. 392 (1997) 173
Scopinaro, F., see Pani, R. 392 (1997) 295
Scopinaro, F., see Pani, R. 392 (1997) 319
Sellin, P.J., see Buttar, C.M. 392 (1997) 281
Seto, R., see Kapustinsky, J. 392 (1997) 192
Shah, K.S., see Bennett, P.R. 392 (1997) 260
Shariv, I., see Tremsin, A.S. 392 (1997) 354
Shearer, A., see Read, P.D. 392 (1997) 359
Shekhtman, L.I., see Baru, S.E. 392 (1997) 12
Shehktman, L.I., see Papanestis, A. 392 (1997) 120
Sheldon, J., see Lewis, R.A. 392 (1997) 32
Sheldon, J., see Ortuño-Prados, F. 392 (1997) 47
Sheldon, J.W., see Lewis, R.A. 392 (1997) 42
Sheldon, J.W., see Hall, C.J. 392 (1997) 330
Siegel, S., see Hoffman, E.J. 392 (1997) 324
Silvestris, L., Performance of the silicon detectors for the CMS barrel tracker 392 (1997) 161
Simon-Gillo, J., see Kapustinsky, J. 392 (1997) 192
Simpson, M., see Kapustinsky, J. 392 (1997) 192
Smadja, G., see Clergeau, J.-F. 392 (1997) 109
Smadja, G., see Clergeau, J.-F. 392 (1997) 140
Smith, G.C., see Knott, R.B. 392 (1997) 62
Smith, K.M., see Bates, R.L. 392 (1997) 269
Smith, R., see Kapustinsky, J. 392 (1997) 192
Smykov, L., see Baru, S.E. 392 (1997) 12
Snow, S., see Duerdoth, I.P. 392 (1997) 127
Soluri, A., see Pani, R. 392 (1997) 295
Soluri, A., see Pani, R. 392 (1997) 319
Spyrou, N.M., see Darambara, D.G. 392 (1997) 456
Squillante, M.R., see Bennett, P.R. 392 (1997) 260
Stavitski, I., Upgrade of DELPHI Microvertex detector in 1996 . . . . . 392 (1997) 165
Stephenson, R., see Visvikis, D. 392 (1997) 414
Stiehler, R., see Besch, H.J. 392 (1997) 244
Strand, S.-E., see Overdick, M. 392 (1997) 173
Straver, J., see Overdick, M. 392 (1997) 173
Subbotin, V.G., see Tsyganov, Yu.S. 392 (1997) 197
Sukhov, A.M., see Tsyganov, Yu.S. 392 (1997) 197
Sullivan, J., see Kapustinsky, J. 392 (1997) 192
Sumner, I., see Lewis, R.A. 392 (1997) 32
Suzuki, M., T. Takahashi, K. Kuwahara, H. Okada and K. Masuda, A new microdosimetric instrument based on a proportional scintillation imaging chamber for heavy ion track investigation 392 (1997) 55
Swinyard, B.M., see Read, P.D. 392 (1997) 359

Tagliente, G., see Celano, L. 392 (1997) 304
Taibi, A., A. Del Guerra, M. Gambaccini, M. Marziani and A. Tuffanelli, Evaluation of a digital X-ray detector based on a phosphor-coated CCD for mammography 392 (1997) 210
Takahashi, T., see Suzuki, M. 392 (1997) 55
Takahashi, Y., see Kapustinsky, J. 392 (1997) 192
Talyshev, A.A., see Baru, S.E. 392 (1997) 12
Tan, M., see Parker, D.J. 392 (1997) 421
Tanimori, T., see Ochi, A. 392 (1997) 124
Tavernier, S., see Bruyndonckx, P. 392 (1997) 407
Thompson, C.J., see Robar, J.L. 392 (1997) 402
Thompson, R.J., see Duerdoth, I.P. 392 (1997) 127
Titov, V.M., see Baru, S.E. 392 (1997) 12
Tomasini, F., see Arfelli, F. 392 (1997) 188
Tomasini, F., see Arfelli, F. 392 (1997) 392
Tornai, M.P., see Hoffman, E.J. 392 (1997) 324
Tremsin, A.S., J.F. Pearson, J.E. Lees, G.W. Fraser, V. Korobov and I. Shariv, Spatial uniformity and UV sensitivity of microsphere plates (MSPs) 392 (1997) 354

Tromba, G., see Arfelli, F. 392 (1997) 188
Tromba, G., see Arfelli, F. 392 (1997) 392
Trow, M.W., see Worth, L.B.C. 392 (1997) 364
Tsyganov, Yu.S., V.G. Subbotin, A.N. Polyakov, A.M. Sukhov, S. Iliev, A.N. Mezentsev and D.V. Vacatov, Focal plane detector of the Dubna gas-filled recoil separator 392 (1997) 197
Tuffanelli, A., see Taibi, A. 392 (1997) 210

Ubertini, P., see Ortuño-Prados, F. 392 (1997) 47
Udo, F., see Zhukov, V. 392 (1997) 83
Udo, F., see van den Berg, F.D. 392 (1997) 94
Ukraintsev, Yu.G., see Baru, S.E. 392 (1997) 12

Vacatov, D.V., see Tsyganov, Yu.S. 392 (1997) 197
Vacchi, A., see Arfelli, F. 392 (1997) 188
Vacchi, A., see Arfelli, F. 392 (1997) 392
Valentin, L., see Aubineau-Laniece, I. 392 (1997) 237
Valk, H., J. Huizenga, C.W.E. van Eijk, R.W. Hollander, L.K. Nanver, P.M. Sarro and A. van den Boogaard, Development of a 128 channel silicon drift detector for spectroscopic purposes 392 (1997) 169
Vallazza, E., see Arfelli, F. 392 (1997) 392
van den Berg, F.D., C. Daum, B. van Eijk, C.W.E. van Eijk, F.G. Hartjes, J. van der Marel, F. Udo and V. Zhukov, Gas gain stability in MSGCs and MGCs at high-rate operation 392 (1997) 94
van den Berg, F.D., see Zhukov, V. 392 (1997) 83
van den Boogaard, A., see Valk, H. 392 (1997) 169
van der Marel, J., V.R. Bom, C.W.E. van Eijk, R.W. Hollander and P.M. Sarro, A LaF_3:Nd(10%) scintillation detector with microgap gas chamber read-out for the detection of γ-rays 392 (1997) 310
van der Marel, J., see van den Berg, F.D. 392 (1997) 94
van der Marel, J., see Fraga, F.A.F. 392 (1997) 135
van Eijk, B., see van den Berg, F.D. 392 (1997) 94
van Eijk, C.W.E., Development of inorganic scintillators 392 (1997) 285
van Eijk, C.W.E., see van den Berg, F.D. 392 (1997) 94
van Eijk, C.W.E., see Fraga, F.A.F. 392 (1997) 135
van Eijk, C.W.E., see Valk, H. 392 (1997) 169
van Eijk, C.W.E., see van der Marel, J. 392 (1997) 310
van Hecke, H., see Kapustinsky, J. 392 (1997) 192
Velikzhanin, Ys.S., see Baru, S.E. 392 (1997) 12
Vellettaz, N., J.E. Assaf and A. Oed, Two dimensional gaseous microstrip detector for thermal neutrons 392 (1997) 73
Visvikis, D., R.J. Ott, K. Wells, M.A. Flower, R. Stephenson, J.E. Bateman and J. Connolly, Performance characterisation of large area BaF_2-TMAE detectors for use in a whole body clinical PET camera 392 (1997) 414
Vitulo, P., see Abbrescia, M. 392 (1997) 155
Vlieg, E., see Zhukov, V. 392 (1997) 83

Wada, R., see Alfaro-Molina, R. 392 (1997) 447
Walenta, A.H., see Besch, H.J. 392 (1997) 244
Walenta, A.H., see Lange, A. 392 (1997) 369
Walker, J., see Kapustinsky, J. 392 (1997) 192
Wardle, A.G., see Rhodes, N.J. 392 (1997) 315
Watt, G., see Knott, R.B. 392 (1997) 62
Weilhammer, P., see Overdick, M. 392 (1997) 173
Weisenberger, A.G., S. Majewski, M. Saha and E. Bradley, Coincident radiation imaging of iodine 125 for in vivo gene imaging in small animals 392 (1997) 299
Wells, K., see MacDonald, J.H. 392 (1997) 220
Wells, K., see Visvikis, D. 392 (1997) 414
Wermes, N., see Overdick, M. 392 (1997) 173
Wermes, N., see Klein, P. 392 (1997) 254
Westgaard, T., see Evensen L. 392 (1997) 206
Wheadon, R., see Da Rold, M. 392 (1997) 202
Whitehead, A., see Buttar, C.M. 392 (1997) 281
Wilkinson, C., see Cipriani, F. 392 (1997) 471
Williams, M.C.S., see Cerron Zeballos, E. 392 (1997) 145
Williams, M.C.S., see Ceron Zeballos, E. 392 (1997) 150
Wilpert, Th., see Gebauer, B. 392 (1997) 68

Wojcik, R. and S. Majewski, Single shot dual energy reverse geometry X-radiography 392 (1997) 475
Worth, L.B.C., J.S. Lapington and M.W. Trow, Further microsphere plate studies 392 (1997) 364

Xu, N., see Kapustinsky, J. 392 (1997) 192

Yamamoto, S., T. Iida and I. Kanno, Development of a high-resolution alpha camera 392 (1997) 291
Yan, Y., see Barratt, I. 392 (1997) 450
Yoshioka, K., see Overdick, M. 392 (1997) 173

Zając, J., see Bednarek, B. 392 (1997) 51
Zając, J., see Jeleń, K. 392 (1997) 80
Zanevsky, Yu.V., see Baru, S.E. 392 (1997) 12
Zeissler, C.J., Comparison of semiconductor pixel array, phosphor plate, and track-etch detectors for alpha autoradiography 392 (1997) 249
Zeuner, T., Development of a 150 000 channel MSGC tracking system for the experiment HERA-B 392 (1997) 105
Zhang, S., see Bruyndonckx, P. 392 (1997) 407
Zhao, Y., see Alfaro-Molina, R. 392 (1997) 447
Zhukov, V., F. Udo, O. Marchena, F.G. Hartjes, F.D. van den Berg, W. Bras and E. Vlieg, A curved Micro-Strip Gas Counter for synchrotron radiation time resolved SAXS/WAXS experiments 392 (1997) 83
Zhukov, V., see van den Berg, F.D. 392 (1997) 94
Zichichi, A., see Ceron Zeballos, E. 392 (1997) 150
Zichichi, A., see Cerron Zeballos, E. 392 (1997) 145